


CASTOHN®

hand made stone





Smooth Alpine Paver - Color: Pearl

Landscape Products

Table of Contents

Why Hand Made	3
Olympic Paver	4
Smooth Alpine Paver	6
Mountain Slate Paver.....	7
42" Super Paver.....	8
Linear Slate	9
Natural Steps.....	10
Stria Steps	12
Path and Stepping Stones.....	13
Wall Caps, Hearthstone, & Coping	14
Large Paver Installation	15
Warranty.....	16

Cover Photo: 42" Super Paver - Color: Pearl



42" Super Paver - Color: Pearl

Why Hand Made?

Castohn's hand made products bring out the fine details. Our modern wet cast techniques consistently deliver the vivid colors, realistic shapes, and natural textures we all want to adorn our indoor and outdoor living spaces.

The Castohn Difference


Our in-house design team doesn't just follow trends, it creates them. Our vision for the future of outdoor design enables us to develop a full line of architectural accessories that are built to last.

Every day, we're leveraging the latest engineering methods and technologies to produce high-quality elements that make your homes, gardens, and other outdoor living spaces even more beautiful.

Generic Machine Made

Machine pressed shapes, grainy, fake joints, and harsh edges

- Blotchy, unnatural color
- Sharp edges
- Grainy, popcorn surface



High speed machines create coarse, abrasive textures

8 **seconds** in the mold

CASTOHN® Hand Made

Clean edges and grand sizes for a modern look and feel

- Contemporary colors & appearance
- Exposed Sand Finish
- Tighter surface matrix



Our hand made products are smoother and stronger

8 **hours** in the mold

Olympic™ Paver

Large Paver Series

- Large format paver for a timeless and contemporary look
- Exposed sand finish brings out the beauty of fine local aggregates
- Uniform sizes and 2-1/2" thickness for fast installation
- Available for pedestal installations (special order)

Exposed Sand Texture

Color: Graphite - Exposed Sand Finish

Available Color:



Pebble Gray - Exp. Sand



Graphite - Exp. Sand

*colors may vary,
see actual pallets

12" x 24"

63 lbs / 2 sq ft
Pallet: 32 pieces,
64 sq ft, 2,100 lbs

12" x 36"

95 lbs / 3 sq ft
Pallet: 24 pieces,
72 sq ft, 2,300 lbs

12" x 48"

125 lbs / 4 sq ft
Pallet: 24 pieces,
96 sq ft, 3,100 lbs

18" x 36"

145 lbs / 4-1/2 sq ft
Pallet: 16 pieces,
72 sq ft, 2,400 lbs

24" x 24"

125 lbs / 4 sq ft
Pallet: 16 pieces,
64 sq ft, 2,100 lbs

24" x 36"

190 lbs / 6 sq ft
Pallet: 8 pieces,
48 sq ft, 1,600 lbs

24" x 48"

250 lbs / 8 sq ft
Pallet: 8 pieces,
64 sq ft, 2,100 lbs

36" x 36"

285 lbs / 9 sq ft
Pallet: 8 pieces,
72 sq ft, 2,300 lbs

Product Data

- Dimensional Tolerance L&W $\pm 3/16"$ & H $\pm 1/8"$
- Consistent 2-1/2" thickness
- Actual dimensions are 1/8" less than listed
- Minimum of 1/2" joints required
- Use caution when considering smooth pavers in a wet application
- See Large Paver Installation on page 15



Olympic™ Paver Uses

- Patterned designs
- Transitions, borders, bands
- Walkways



Color: Pebble Gray - Exposed Sand Finish



Pallet (12" x 24")

- 32 pieces per pallet
- 61 pounds each, 1,970 pounds per pallet
- 64 square feet per pallet



Pallet (12" x 36")

- 24 pieces per pallet
- 92 pounds each, 2,150 pounds per pallet
- 72 square feet per pallet



Pallet (12" x 48")

- 24 pieces per pallet
- 122 pounds each, 2,920 pounds per pallet
- 96 square feet per pallet



Pallet (18" x 36")

- 16 pieces per pallet
- 132 pounds each, 2,120 pounds per pallet
- 72 square feet per pallet



Pallet (24" x 24")

- 16 pieces per pallet
- 122 pounds each, 1,970 pounds per pallet
- 64 square feet per pallet



Pallet (24" x 36")

- 8 pieces per pallet
- 184 pounds each, 1,520 pounds per pallet
- 48 square feet per pallet



Pallet (24" x 48")

- 8 pieces per pallet
- 245 pounds each, 2,000 pounds per pallet
- 64 square feet per pallet



Pallet (36" x 36")

- 8 pieces per pallet
- 277 pounds each, 2,220 pounds per pallet
- 72 square feet per pallet



Smooth Alpine™ Paver

Large Paver Series

- Uniform size and thickness for fast installation
- Large format paver for timeless and contemporary look
- Available for pedestal installations (as a special order)
- Natural appearance due to slight color variations
- Less prone to chipping due to eased edges

Color: Pearl (photo taken at dusk)

Available Colors:



Pearl




Graphite

Colors may vary,
see actual product.

Product Data

- Dimensional Tolerance L&W $\pm 3/16"$ & H $\pm 1/8"$
- Consistent 2-1/2" thickness
- Actual dimensions are 1/8" less than listed
- Minimum of 1/2" joints required
- Use caution when considering smooth pavers in a wet application
- See Large Paver Installation on page 15



12" x 24"

63 lbs / 2 sq ft
Pallet: 32 pieces,
64 sq ft, 2,100 lbs

12" x 36"

95 lbs / 3 sq ft
Pallet: 24 pieces,
72 sq ft, 2,300 lbs

12" x 48"

125 lbs / 4 sq ft
Pallet: 24 pieces,
96 sq ft, 3,100 lbs

18" x 36"

145 lbs / 4-1/2 sq ft
Pallet: 16 pieces,
72 sq ft, 2,400 lbs

24" x 24"

125 lbs / 4 sq ft
Pallet: 16 pieces,
64 sq ft, 2,100 lbs

24" x 36"

190 lbs / 6 sq ft
Pallet: 8 pieces,
48 sq ft, 1,600 lbs

24" x 48"

250 lbs / 8 sq ft
Pallet: 8 pieces,
64 sq ft, 2,100 lbs

36" x 36"

285 lbs / 9 sq ft
Pallet: 8 pieces,
72 sq ft, 2,300 lbs



Mountain Slate™ Paver

Large Paver Series

- Authentic, natural slate texture
- Consistent 2-1/2" thickness
- Uniform thickness and accurate dimensions equal fast installations and beautiful end results
- Natural appearance due to slight color variations
- Less prone to chipping due to eased edges

Color: Pearl

Available Color:



Pearl



Graphite

Made to Order:



Chocolate

Colors may vary,
see actual product.

Product Data

- Dimensional Tolerance L&W $\pm 3/16"$ & H $\pm 1/8"$
- Consistent 2-1/2" thickness
- Actual dimensions are 1/8" less than listed
- Minimum of 1/2" joints required
- See Large Paver Installation on page 15

12" x 24"

63 lbs / 2 sq ft
Pallet: 32 pieces,
64 sq ft, 2,100 lbs

12" x 36"

95 lbs / 3 sq ft
Pallet: 24 pieces,
72 sq ft, 2,300 lbs

12" x 48"

125 lbs / 4 sq ft
Pallet: 24 pieces,
96 sq ft, 3,100 lbs

18" x 36"

145 lbs / 4-1/2 sq ft
Pallet: 16 pieces,
72 sq ft, 2,400 lbs

24" x 24"

125 lbs / 4 sq ft
Pallet: 16 pieces,
64 sq ft, 2,100 lbs

24" x 36"

190 lbs / 6 sq ft
Pallet: 8 pieces,
48 sq ft, 1,600 lbs

24" x 48"

250 lbs / 8 sq ft
Pallet: 8 pieces,
64 sq ft, 2,100 lbs

36" x 36"

285 lbs / 9 sq ft
Pallet: 8 pieces,
72 sq ft, 2,300 lbs



42" Super Paver

Large Paver Series

- Prefinished flamed stone texture means no formwork or on-site finishing needed
- Fast installation, install year-round in any weather
- Factory controlled cure for longer life
- Large format paver for timeless and contemporary installations
- Natural appearance due to slight color variations
- Less prone to chipping due to eased edges

Color: Pearl

Available Color:



Pearl



Graphite

*colors may vary,
see actual pallets

Product Data

- 42" x 42" x 4"
- 12-1/4 square feet each
- 600 pounds each
- Dimensional Tolerance L&W $\pm 3/16"$ & H $\pm 1/8"$
- Minimum of 1/2" joints required
- See Large Paver Installation on page 15

Pallet

- 6 pieces per pallet
- 73-1/2 square feet per pallet
- Pallet weight = 3,600 pounds

Finish

- Flamed texture



Color: Graphite

10" x 20" Linear Slate

- Natural slate texture
- Consistent size and thickness for fast installation
- Natural appearance due to slight color variations
- Larger size and timeless slate texture create a simple yet elegant look and feel
- Use for accents, transition borders, and stair approaches

Color: Pearl

Available Colors:



Pearl



Graphite

*colors may vary,
see actual pallets

Product Data


- 10" x 20" x 2"
- 34 pounds each piece
- 1.4 square feet per piece

Pallet

- 64 pieces per pallet
- 89.6 square feet per pallet
- Pallet weight = 2,180 pounds
- 8 pieces per layer, 8 layers per pallet



Color: Pearl



Natural Steps

Natural Steps sweeten your home's surroundings with subtle and natural color and texture.

- Simple installation process for fast project completion
- Consistent 6-inch rise
- Packaged 6 steps per pallet, random assortment of sizes and textures

Color: Graphite

Available Colors:



Pearl



Graphite

*colors may vary,
see actual pallets

Product Data

- 6 steps per pallet with 12 unique faces
- Palletized with blended pieces
- 2,500 pounds per pallet



6" Rise - 425 pounds
45" x 21" x 6"



6" Rise - 360 pounds
43" x 21" x 6"



6" Rise - 420 pounds
43" x 23" x 6"



6" Rise - 440 pounds
45" x 22" x 6"



6" Rise - 395 pounds
41" x 23" x 6"



6" Rise - 370 pounds
43" x 22" x 6"



Color: Pearl



Color: Graphite



Color: Graphite

Stria Steps

The one of a kind Stria Step creates a natural, non-slip addition to any landscape.

- Significant striated texture creates a non-slip surface
- Unique texture replicates natural weathering
- Natural appearance due to slight color variations
- Consistent 6-inch rise equals fast installation and safe results

Color: Graphite

Available Color:



Pearl



Graphite

*colors may vary,
see actual pallets

Product Data

- Palletized with one size per pallet
- 6 steps per pallet



36" x 18" x 6"
340 pounds each
2,040 pounds per pallet



48" x 18" x 6"
450 pounds each
2,700 pounds per pallet



Lift capacity 980 pounds

BL980 Step Lifter



Color: Graphite

Path & Stepping Stones

Easily lay a charming garden walkway with various colors and textures that will compliment your existing backyard environment.

- 8 unique shapes for a rustic, authentic stone appearance
- Wet cast for long term durability
- Natural appearance due to slight color variations
- Crowned top keeps your foot placement dry

Color: Pearl

Available Colors:



Pearl



Graphite

Made to Order:



Chocolate

Colors may vary,
see actual product.

Pallet

- Avg. stone size 17" x 20" x 2-1/2"
- 24 pieces per pallet
- Pallet weight = 1,420 pounds



Color: Graphite

Wall Caps, Hearthstone, & Coping

Dress up your project with a natural stone appearance that will be both functional and aesthetically pleasing.

- Wet cast for long term durability
- Surface is gentle and comfortable to sit on
- Natural appearance due to slight color variations
- Consistent height provides for fast and easy installation

12" x 36" Flat Wall Cap - Color: Pearl

Available Colors:



Pearl



Graphite

*colors may vary,
see actual pallets



Flat Wall Cap

- Stone texture with chiseled edges and 2-1/2" high face

Available Sizes:

10" x 36", 12" x 36", 14" x 36"



Flat Post Cap

- Stone texture with chiseled edges and 2-1/2" high face

Available Sizes:

24" x 24", 30" x 30"




Eased Edge
Profile

Large Format Coping

- Textured surface for skid (slip) resistance
- Eased edge along one side
- Designed for use with our Mountain Slate™ and Smooth Alpine™ Pavers

Available Sizes: 12" x 36" x 2-1/2"



12"x24" Flat Wall Cap Smooth Texture w/Chamfered 2 Edges

- Smooth texture (top and 2 sides), 12" wide, 2-1/2" tall, & 1-1/2" high face


Available Sizes:

12" x 24"

Large Paver Installation




READ BEFORE INSTALLING



Sand Set



Joints 1/2" (min.)



Permeable Set

Installations shown above are examples only. Consult a design professional for site specific installation requirements.

Installation Quick Tips - Large Paver Series

Installation should meet all local building code requirements.

Handling Large Pavers

- Handle with care. Avoid damaging large pavers with forklifts and lifting equipment/tools.
- Store pallets of pavers in single-height rows. **DO NOT STACK PALLET OF PAVERS**
- Do not push pallets against each other with forklifts or other equipment.

Installation

- Lift pavers carefully by hand or with lifting equipment. Do not drag one paver across the top of another paver. Lift in a way that will not chip the edges of the pavers.
- **Install with a minimum of 1/2" joints to ease installation and alignment.** Proper joints will help with alignment and prevent chipping.
- Avoid "bumping" or contacting adjacent pavers when installing. "Bumping" pavers can cause edge chips and scratches on the surface.
- Protect pavers during the construction process. Brush off all dirt, sand and gravel from installed pavers and cover with a protective landscape fabric or other protective material that will not stain the pavers.

Cleaning

- Wash all dirt and construction debris with the mildest cleaning method that works. Test clean a small inconspicuous area to determine what method works best before cleaning the entire project.
- CAUTION – Some cleaning techniques and products can damage the surface of the pavers and alter the appearance. **Castohn does NOT recommend the use of a pressure washer to clean large pavers.**
- If using polymeric sand, ensure pavers are thoroughly clean and dry prior to sealing.

Sealing

- Large pavers can be installed and left unsealed in many applications. However, exterior applications will weather over time and age. Some sealers will help protect the surface from water penetration and even enhance the color of the pavers. Some sealers can also help with preventing staining from food or beverage spills.
- If a sealer is to be used, always test a small inconspicuous area with the sealer to ensure it will perform as anticipated. The WRONG sealer can negatively impact the appearance of the large paver installation. Always test and follow manufacturer's recommendations for installing the sealer.

Joint Sand

- The usage of joint sand can be tricky with high end pavers like these. We do not recommend most polymeric joint sands for these products as they may cause residual hazing on the surface. Please consult with your Castohn representative for further information.

Tools



Large Slab Lifter



Slab Lifter



Vacuum Lift (example)



Grabo DUO Handle

Lifetime Limited Warranty

Castohn provides a lifetime limited warranty on the structural integrity of its manufactured product line used in residential applications. The warranty is extended to the original purchaser and is not transferable. Castohn products installed in accordance with our guidelines and industry standards that are deemed to be structurally defective will be replaced with product of equal value. Removal and replacement labor cost is not the responsibility of Castohn. Color matching and product availability are not guaranteed. Proof of purchase and/or installation contract must be made available prior to or at the time of inspection by an authorized Castohn representative. Other exclusions apply.

*For optimal color blending, mix and install product from several pallets simultaneously. Colors in catalog may vary from actual product, and some items and colors may require a short lead time to produce.

CASTOHN[®]
hand made stone

South Region

2025 Webster Ave • Waco, TX 76706
Ph 254.339.1144 E Info@Castohn.com



Castohn.com