



MAKERS of *STONE* and MASONRY VENEER





AT FIRST IT IS NOT WHAT IT SEEMS.

Upon reflection, a more natural selection. Focus with a new lens and turn things upside down. Start with a blank canvas unburdened by some time before. Blend a motherlode of experience, knowledge, youth, energy. Perform at a higher level. Work hand in glove. Create beauty.




Create better.

The world doesn't need another just like the others. It needs one that uncovers nature's brilliance.

CREATIVE MINES



Once Upon a moment captured in Time
an image Dressed in thought
So fine...



You're Invisible in frame
The estate of Now
The architecture of soul with No Secrets
To Conceal



LEFLORE COUNTY NATURAL SQUARES AND RECS



GOLDMINE CRAFT FOOTHILL RUBBLE





How
Does It
Feel

TIMELESS MASONRY VENEER

Craft Farmhouse Ledge	10
Craft Foothill Rubble	12
Craft Orchard Limestone	14
Craft Peak Ledge	18
Craft River Ledge	19
Craft Trail Ledge	20

CONTEMPORARY MASONRY VENEER 22

Craft Board Form®	23
Craft Split Modular	24
Craft Carved Rectangle	26
Craft Chiseled Rectangle	27
Craft Flamed Rectangle	28
Craft Inner Piece	29
Craft Urban Ledge	30
Paintgrade™ Brick and Block	34
Craft Chop Ledge	36

ARCHITECTURAL TRIM 38

MIXOLOGY 40

To Be turn about
to break the mold on your Own

TIME

LESS

FARMHOUSE LEDGE



Bison Craft Farmhouse Ledge



Coyote Craft Farmhouse Ledge



Mountainlion Craft Farmhouse Ledge



Greentea Craft Farmhouse Ledge



Goldmine Craft Farmhouse Ledge



Tortoiseshell Craft Farmhouse Ledge



Greyppearl Craft Farmhouse Ledge



Toasted Craft Farmhouse Ledge

SIZE RANGE:	
1.5" - 11"	high
4.5" - 26.5"	long
1.5"	avg. thickness

FOOTHILL RUBBLE



Bison Craft Foothill Rubble



Greentea Craft Foothill Rubble



Coyote Craft Foothill Rubble



Tortoiseshell Craft Foothill Rubble



Goldmine Craft Foothill Rubble



Mountainlion Craft Foothill Rubble




Greypearl Craft Foothill Rubble



Toasted Craft Foothill Rubble

SIZE RANGE:	
2" - 13.25"	high
4.5" - 16.25"	long
1.5"	avg. thickness

ORCHARD LIMESTONE



Alpaca Craft Orchard Limestone



Bison Craft Orchard Limestone



Mountainlion Craft Orchard Limestone

SIZE RANGE:	
4" - 13.25"	high
6.5" - 23"	long
1.5"	avg. thickness



Blacktruffle Craft Orchard Limestone



Butternut Craft Orchard Limestone



Timberwolf Craft Orchard Limestone



Whitegold Craft Orchard Limestone



Greentea Craft Orchard Limestone



Greypearl Craft Orchard Limestone




Tortoiseshell Craft Orchard Limestone



TOASTED CRAFT FARMHOUSE LEDGE



GOLDMINE CRAFT FOOTHILL RUBBLE



PEAK LEDGE

SIZE RANGE:	
1.25" - 8.125"	high
3.375" - 27.875"	long
1.625"	avg. thickness



Blacktruffle Craft Peak Ledge



Bison Craft Peak Ledge



Greentea Craft Peak Ledge



Greypearl Craft Peak Ledge



Mountainlion Craft Peak Ledge



Timberwolf Craft Peak Ledge



Tortoiseshell Craft Peak Ledge

RIVER LEDGE



Alpaca Craft River Ledge



Butternut Craft River Ledge



Prairiegrass Craft River Ledge

SIZE RANGE:	
1.5" - 5"	high
4.5" - 19"	long
1.25"	avg. thickness


TRAIL LEDGE



Blacktruffle Craft Trail Ledge




Tortoiseshell Craft Trail Ledge



Bison Craft Trail Ledge



Mountainlion Craft Trail Ledge




Greentea Craft Trail Ledge



Greypearl Craft Trail Ledge

Timberwolf Craft Trail Ledge

SIZE RANGE:	
1.125" - 5.625"	high
4.6275" - 20.875"	long
1.125"	avg. thickness



**FOLLOW THE CROWD AND YOU
MAY NEVER GET BEYOND IT.
WALK ALONE AND YOU'LL FIND
PLACES NEVER SEEN BEFORE.
WHEN OTHERS REALIZE YOU
MAY HAVE SOMETHING THEY'LL
SAY IT WAS OBVIOUS ALL ALONG.
FAILURE COMES MORE FROM
AN EXCESS OF CAUTION THAN
FROM AN EXCESS OF COURAGE.**

CON TEMPO RARY

MONSOON CRAFT BOARD FORM



Barnwood Craft Board Form™



Cedar Craft Board Form™



Grayscale Craft Board Form™



Monsoon Craft Board Form™



Sycamore Craft Board Form™

SIZE RANGE:

6"	high
36"	long
0.75"	avg. thickness

SPLIT MODULAR



Tortoiseshell Craft Split Modular



Timberwolf Craft Split Modular



Bison Craft Split Modular



Blacktruffle Craft Split Modular



Twine Craft Split Modular



Greypearl Craft Split Modular



Lunar Craft Split Modular



Greentea Craft Split Modular



Powder Craft Split Modular



Mountainlion Craft Split Modular

DIFFERENT STONE HEIGHTS CREATE DISTINCT LOOKS.

Craft Split Modular is designed to maximize modularity and installation ease with 2.5" and 5" pieces boxed separately. Order in any combination you desire. Shown at left and above: 50/50 blend of 2.5" and 5" sizes.



100% 2.5" HEIGHT

Twine Craft Split Modular



100% 5" HEIGHT

Twine Craft Split Modular

SIZE RANGE:

2.5" or 5"	high
4" - 16"	long
1.125"	avg. thickness

CARVED RECTANGLE



Biscuit Craft Carved Rectangle



Bluestone Craft Carved Rectangle



Jute Craft Carved Rectangle



Knapsack Craft Carved Rectangle



Sandollar Craft Carved Rectangle

SIZE RANGE:	
10"	high
20"	long
1.125"	avg. thickness

CHISELED RECTANGLE



Biscuit Craft Chiseled Rectangle



Bluestone Craft Chiseled Rectangle



Jute Craft Chiseled Rectangle



Knapsack Craft Chiseled Rectangle



Sandollar Craft Chiseled Rectangle

SIZE RANGE:	
10"	high
20"	long
1.125"	avg. thickness

FLAMED RECTANGLE



Bisque Craft Flamed Rectangle



Bluestone Craft Flamed Rectangle



Mist Craft Flamed Rectangle

SIZE RANGE:	
10"	high
20"	long
1.125"	avg. thickness

INNER PIECE

SIZE RANGE:	
5.625"	high
13" - 22"	long
1"	avg. thickness



Enlighten Craft Inner Piece



Imagine Craft Inner Piece



Karma Craft Inner Piece



Nirvana Craft Inner Piece



CUT TO REVEAL ITS SMOOTH
internal surface, Inner Piece's exposed aggregates complement both the darker and lighter colorways.

URBAN LEDGE



Straw Craft Urban Ledge



Dove Craft Urban Ledge



Flax Craft Urban Ledge



Bone Craft Urban Ledge

SIZE RANGE:

4"	high
13.75" - 23.875"	long
1.625"	avg. thickness




BONE CRAFT URBAN LEDGE

A complete unknown



gathers no más



MONSOON CRAFT BOARD FORM

PAINTGRADE BRICK™ AND PAINTGRADE BLOCK™

SIZE RANGE:

2.375" - 3"	high
7.75" - 8.375"	long
0.625"	avg. thickness



Brewery Craft Paintgrade Brick™

SIZE RANGE:

2.125" - 2.375"	high
8.25" - 8.75"	long
0.625"	avg. thickness



Loft Craft Paintgrade Brick™


SIZE RANGE:

3.625"	high
15.625"	long
0.9375"	avg. thickness



Modern Craft Paintgrade Block™

P A I N T G R A D E



DRY WALL REVOLUTION

Paintgrade Brick and Paintgrade Block. A timeless, contemporary masonry veneer evolution from Creative Mines who think alike. Unpainted, off-white bricks and blocks that fire your imagination for your own urban revival. Your brush with creative genius that proclaims historical character and expresses aesthetic beauty. The surface of each brick and each block is less absorbent so color coverage is quick and easy. That means fewer coats of color. Especially the color of money. Renew your love affair with rough and tumbled and start your own dry wall revolution. Paintgrade Brick and Paintgrade Block. In any color you want. Because you pick the color.

CHOP LEDGE

CRAFT CHOP LEDGE MASONRY

PANELS are engineered to decrease installation time while eliminating patterns often seen in other veneer panel systems.



Hopscotch Craft Chop Ledge



Flint Craft Chop Ledge



Seapearl Craft Chop Ledge

SIZE RANGE:

6"	high
8" - 20"	long
1.125"	avg. thickness



HOUSE BLEND OF TIMBERWOLF AND TORTOISESHELL CRAFT PEAK LEDGE

ARCHITECTURAL TRIM



Peak Wall Cap (Dressed)
12" width, 20" length, 2" - 3.5" thickness



Wainscot Cap / Sill (Dressed)
3.5" width, 20" length, 2.625" thickness



Hearthstone (Dressed)
20" width, 20" length, 2" thickness

Our Architectural Trim components enrich the stone and masonry veneer we make. Each piece is crafted with consummate respect for their historic tradition. The Flamed texture reproduces the surface of torched stone and Dressed, so named, because it combines a variety of textural techniques for a refined, cultivated appearance.

AVAILABLE IN ALL NINE COLORWAYS



Keystone
8" top, 5" bottom width
10" length, 2" thickness



Electrical Box (Single)
8" width, 8" length,
1.25" thickness
2.5" x 4.25" opening



Utility / Wall Light
8" width, 10" length,
1.25" thickness
4" opening



Trim Stone
6" width, 8" length,
2" thickness



Electrical Box (Double)
8" width, 9" length,
1.25" thickness
4.25" x 4.25" opening



Doorbell / Hose Bib
5" width, 5" length,
1.25" thickness
1.5" opening

Our Architectural Trim Caps, Hearthstones and Sills are crafted with two distinct textures: Dressed and Flamed. The smaller-sized Keystone, Trim and Utility Box components have a universal texture that complements both the Dressed and Flamed textures. There are 5 colorways for the Dressed texture and 4 colorways for Flamed. The Trim and Utility components are available in all of the 9 colorways.



Flat Wall Cap (Flamed)
12" width, 20" length, 2" thickness



Wainscot Cap / Sill (Flamed)
3.5" width, 20" length, 2.625" thickness



Hearthstone (Flamed)
20" width, 20" length, 2" thickness



Column Cap (Flamed)
24" width, 24" length, 2" thickness

DRESSED TEXTURE



FLAMED TEXTURE



DRESSED COLORWAYS



Blacktea



Buttermilk



Peanutshell



Sandpiper



Sepiatone

FLAMED COLORWAYS



Bisque



Bluestone



Mist




Twine

Creative Mines integral colors combine iron oxide pigments and polymers that bond to the stone to remain steadfast.




CRAFTING THE PERFECT HOUSE BLEND

Greyparl Craft Trail Ledge



Greyparl Craft Farmhouse Ledge



DOUBLE PROFILE / SINGLE COLORWAY



2 Parts Greyparl Craft Farmhouse Ledge to 1 Part Greyparl Craft Trail Ledge


MIX AND MASH. BLEND IT. SHAPE IT.
Create your own signature recipe. Creative Mines has the provisions to sate any discerning palette. We provide the ingredients. You provide the gusto. What you soon realize is how well we infuse Nature's brilliance in all our Timeless profile colorways so that pairings are balanced and connected. Choose a single colorway and two profiles. One profile and two colorways. Or, two profiles and two colorways. The recipes shown are but a small sampling of the possibilities. Whip virtually any concoction you can imagine. You're the Mixologist.

3 PARTS GREYPEARL CRAFT FARMHOUSE LEDGE
1 PART GREENTEA CRAFT TRAIL LEDGE

MIXOLOGY

Timberwolf Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY




Mountainlion Craft Peak Ledge

2 Parts Timberwolf to 1 Part Mountainlion Craft Peak Ledge

MIXOLOGY

SINGLE PROFILE / DOUBLE COLORWAY

Mountainlion Craft Peak Ledge




2 Parts Mountainlion to 1 Part Bison Craft Peak Ledge

Bison Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY

Tortoiseshell Craft Peak Ledge




2 Parts Tortoiseshell to 1 Part Timberwolf Craft Peak Ledge

Timberwolf Craft Peak Ledge

Greypearl Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY




Greentea Craft Peak Ledge

2 Parts Greypearl to 1 Part Greentea Craft Peak Ledge

Greentea Craft Peak Ledge

DOUBLE PROFILE / DOUBLE COLORWAY




Bison Craft Orchard Limestone

4 Parts Greentea Craft Peak Ledge to 1 Part Bison Craft Orchard Limestone

DOUBLE PROFILE / DOUBLE COLORWAY


Greypearl Craft Trail Ledge



Equal Parts Blacktruffle Craft Peak Ledge and Greypearl Craft Trail Ledge

Blacktruffle Craft Peak Ledge

INSPIRATION & CREATION



- 01 Blacktruffle Craft Peak Ledge
- 02 Whitegold Craft Orchard Limestone
- 03 Toasted Craft Foothill Rubble
- 04 Ghost Mining Operation, Yermo, California
- 05 Monsoon Craft Board Form™
- 06 Greentea Craft Trail Ledge
- 07 8:10 p.m., Ocean Beach, California
- 08 Tortoiseshell Craft Foothill Rubble
- 09 Cedar Craft Board Form™
- 10 Deserted Factory, Sandusky, Ohio
- 11 Tortoiseshell Craft Split Modular
- 12 Toasted Craft Foothill Rubble
- 13 Blacktruffle Craft Orchard Limestone
- 14 Hopscotch Craft Chop Ledge
- 15 Woodstock Quarry Natural Veneer
- 16 Quarry Saw
- 17 Mountainlion Craft Farmhouse Ledge
- 18 Bluestone Craft Chiseled Rectangle
- 19 LeFlore County Quarry Natural Squares and Recs
- 20 Goldmine Craft Foothill Rubble
- 21 Grayscale Craft Board Form™
- 22 Butternut Craft Orchard Limestone
- 23 Nirvana Craft Inner Piece
- 24 Sycamore Craft Board Form™
- 25 Mountainlion Craft Peak Ledge
- 26 Bone Craft Urban Ledge
- 27 Greentea Craft Farmhouse Ledge
- 28 Abandoned Homestead, Oneida County, Idaho
- 29 Flint Craft Chop Ledge
- 30 Whitegold Craft Orchard Limestone
- 31 Landscaping Tools

- 32 Butternut Craft River Ledge
- 33 Flax Craft Urban Ledge
- 34 Abandoned Homestead, Oneida County, Idaho
- 35 Reflection, Spruce Park Great Bear Wilderness, Montana
- 36 Silos, Malad City, Idaho
- 37 San Marino, California
- 38 Hieroglyphic Canyon, Apache Junction, Arizona
- 39 Message Board, Julian, California
- 40 LeFlore County Quarry Natural Squares and Recs
- 41 Archstone Remains, Cave Creek, Arizona
- 42 Mother Earth, San Diego, California
- 43 Cabin, Spruce Park Great Bear Wilderness, Montana
- 44 Midday, Chinatown, San Francisco
- 45 Landscape Stone Wall, Encinitas, California
- 46 Goldmine Craft Foothill Rubble
- 47 Sunrise, Joshua Tree, California
- 48 Toasted Craft Foothill Rubble
- 49 Toasted Craft Foothill Rubble
- 50 Early Afternoon, Cache Valley, Idaho
- 51 Toasted Craft Farmhouse Ledge
- 52 Midmorning, Julian, California
- 53 Goldmine Craft Foothill Rubble
- 54 Abandoned Homestead, Oneida County, Idaho
- 55 Supply building, Kalispell, Montana
- 56 Monsoon Craft Board Form™
- 57 Bone Craft Urban Ledge
- 58 Daybreak, Chino Hills, California
- 59 Monsoon Craft Board Form™
- 60 House Blend: Timberwolf, Tortoiseshell Craft Peak Ledge
- 61 3 parts Greypearl Farmhouse Ledge to 1 part Greentea Trail Ledge

INNOVATION

TEST	ASTM STANDARD	REQUIREMENT	CREATIVE MINES
COMPRESSIVE STRENGTH	ASTM C39	Product strength must be greater than 1800 psi.	<u>Exceeds requirement.</u> Compressive Strength in excess of 3,800 psi.
COMPRESSIVE STRENGTH MORTAR	ASTM C109	Mortar used for Bond Strength Tests.	<u>Exceeds requirement.</u> Compressive Strength: Mortar in excess of 1,700 psi.
TENSILE STRENGTH	ASTM C190	The results for any one sample cannot vary by more than 10% from the average of all samples.	<u>Exceeds requirement.</u> Tensile Strength in excess of 250 psi.
FLEXURAL STRENGTH	ASTM C348	The results for any one sample cannot vary by more than 10% from the average of all samples.	<u>Exceeds requirement.</u> Flexural Strength in excess of 2.6 MPa.
SHEAR BOND STRENGTH	ASTM C482	The shear strength must be a minimum of 50 pounds per square inch.	<u>Exceeds requirement.</u> Shear Bond Strength: Mortar in excess of 65 psi for Type N mortar and in excess of 100 psi for high bond mortars.
WATER ABSORPTION	AC51 Section 4.6	Precast stone veneer units must comply with the water absorption requirements in Table 2 of AC51.	Meets requirement identified in Table 2 of AC51 for precast water absorption. <u>Absorption is less than 17.5%.</u>
FREEZE / THAW DURABILITY	ASTM C67	Test samples must not break or disintegrate and weight loss is limited to 3 percent of original weight after 50 Freeze / Thaw cycles.	<u>Exceeds Freeze / Thaw Durability</u> required for minimum weight loss. Zero (0%) disintegration and no visible cracks in stone.
WEIGHT	AC51 Section 4.1	The average saturated weight must not exceed 15 pounds per square foot.	<u>Below threshold allowable average</u> for saturated weight. Average saturated weight per unit is 10.6 lbs / ft. ² .
CREATIVE MINES CRAFTED STONE VENEER IS SUBJECTED TO RIGOROUS TESTING TO ENSURE PRODUCT QUALITY. COLOR RETENTION: ONLY PERMANENT MINERAL OXIDE COLORS ARE USED TO ENSURE COLOR LONGEVITY.			
INGREDIENTS:			
Portland Cement	ASTM C150		
Mineral Oxide Colors	ASTM C979		
Light Weight Aggregate	ASTM C33 / C330		



DEALERS AND DISTRIBUTORS

Visit www.creativemines.us for a current list of Dealers and Distributors.

INSTALLATION INSTRUCTIONS

Visit www.creativemines.us for product installation instructions.

DISCLAIMER

Creative Mines Crafted Masonry Veneer is hand-designed and handcrafted. It looks like the real thing, so natural variations in color will occur. You should demand that of your crafted masonry veneer. Anything less would be unnatural.

The product measurements listed are averages and individual product may vary in dimension and weight while maintaining accordance with ASTM specifications. For submittal information and test data please consult your Creative Mines Representative.

Creative Mines maintains the right to revise packaging and products inventoried.

© 2015 Creative Mines, Inc.

041516 50K DESIGN BY: STUDIOCONOVER.COM



CREATIVE MINES

CREATIVEMINES.US | CALL 800 453 7040